

Searching for friends? Get fast accurate results!

| | | | |
|------------|----------------------|------------------------------------|-----|
| First Name | <input type="text"/> | State | usa |
| Last Name | <input type="text"/> | <input type="button" value="go!"/> | |



[IPN Home](#) | [Search](#) | [Order](#) | [Shopping Cart](#) | [Login](#) | [Site Map](#) | [Help](#)



JP4169195A: ANTI-ED-B MONOCLONAL ANTIBODY

[View Images \(1 pages\)](#)

Country: **JP Japan**

Inventor(s): **SEKIGUCHI KIYOTOSHI
CHITANI KOUICHI
HIRANO NAONOBU
TACHIKAWA TETSUYA**

Applicant(s): **FUJITA GAKUEN
OTSUKA PHARMACEUT CO LTD**



[News, Profiles, Stocks and More about this company](#)

Issued/Filed Dates: **June 17, 1992 / Oct. 31, 1990**

Application Number: **JP1990000295820**

IPC Class: **C12P 021/08; A61K 039/395; C07K 007/10; C12N 005/20; C12N 015/06;
C12N 015/62; C12P 021/02; G01N 033/574; G01N 033/577; C12P 021/08;
C07K 099/00;**

Abstract: **NEW MATERIAL:**The subject antibody recognizing the ED-B amino acid sequence of formula. **USE:** Immunoassay of carcinomatous fibronectin. **PREPARATION:** The antibody can be produced by ordinary process using an immunogen consisting of a fused protein of the 91 amino acids of the ED-B region of formula and protein A. **COPYRIGHT:** (C)1992,JPO&Japio

Foreign References: **none**

(No patents reference this one)



**Nominate this
invention
for the Gallery...**

**Alternative
Searches**

 [Patent Number](#)

 [Boolean Text](#)

 [Advanced Text](#)

Browse

 [U.S. Class
by title](#)

 [U.S. Class
by number](#)

TDB
[IBM Technical
Disclosure Bulletin](#)



(19)

(11) Publication number:

Generated Document.

PATENT ABSTRACTS OF JAPAN

(21) Application number: **02295820**(51) Intl. Cl.: **C12P 21/08**(22) Application date: **31.10.90**

| | |
|---|---|
| <p>(30) Priority:</p> <p>(43) Date of application publication: 17.06.92</p> <p>(84) Designated contracting states:</p> | <p>(71) Applicant: FUJITA GAKUEN OTSUKA PHARMACEUTICAL CO., LTD.</p> <p>(72) Inventor: SEKIGUCHI KIYOTOSHI CHITANI KOUICHI HIRANO NAONOBU TACHIKAWA TETSUYA</p> <p>(74) Representative:</p> |
|---|---|

(54) ANTI-ED-B MONOCLONAL ANTIBODY

(57) Abstract:

NEW MATERIAL: The subject antibody recognizing the ED-B amino acid sequence of formula.

USE: Immunoassay of carcinomatous fibronectin.

PREPARATION: The antibody can be produced by ordinary process using an immunogen consisting of a fused protein of the 91 amino acids of the ED-B region of formula and protein A.

COPYRIGHT: (C)1992, JPO&Japio

Glu-Val-Pro-Gln-Leu-Thr-Asp-Leu-Ser-Val-Asp-Ile-Thr-Asp-Ser-Ser-Ile-Gly-Arg-Trp-Thr-Pro-Leu-Asn-Ser-Ser-Thr-Ile-Gly-Tyr-Arg-Ile-Thr-Val-Val-Ala-Gly-Glu-Gly-Ile-Pro-Ile-Phe-Glu-Asp-Val-Asp-Ser-Ser-Val-Gly-Tyr-Tyr-Thr-Thr-Gly-Leu-Glu-Pro-Gly-Ile-Asp-Tyr-Ile-Ser-Val-Ile-Thr-Leu-Ile-Asn-Gly

Glu-Ser-Ala-Pro-Thr-Thr-Leu-Thr-Gln
Thr